



## INFIWALL LAYER7 SECURITY CAPABILITIES

### VISIBILITY

- Near real-time Reporting & Logging
- Drill-down Advanced Network Analytics
- More than 60 pre-defined Reports
- Application Visibility & Reporting
- Web/DNS/TLS Reporting
- Custom Reports
- PDF Reports

### SECURITY

- Protects all ports
- Protect all users/devices
- Auto-blocking based on Real-time Threat Intelligence
- Malicious server filtering
- Phishing server filtering
- Protection against new Malware/Virus/Phishing Outbreaks
- Blocking newly Registered/Recovered/Dead/DynDNS sites
- Automatic Botnet Filtering
- Blocking DNS/ICMP Tunnels
- Policy based Transparent TLS/SSL Inspection

### CLOUD CENTRAL MANAGEMENT

- Cloud Management
- Centralized Reporting
- Centralized Policies
- Cloud Scheduled Reports

### CLOUD THREAT INTELLIGENCE

- Cloud Web Categorization
- Cloud Threat Intelligence
- Automatic Botnet Detection

### FILTERING & COMPLIANCE

- Application Control
- Ad Blocking
- 300+ Million categorized Websites
- Customizable Web Categories/Whitelisting
- DNS based content filtering
- TLS/QUIC SNI based filtering
- Web & URL Filtering
- Customized Landing Pages for Blocked Sessions

### USER-BASED FILTERING

- User-Based Reporting (Captive Portal)
- User-Based Reporting (AD/LDAP)
- User-Based Filtering policies (Captive Portal)
- User-Based Filtering policies (AD/LDAP)

### POLICY-BASED FILTERING


- Filtering policies according to Subnet/IP Addresses
- Filtering policies according to User/Groups
- Time-Based/Scheduled Filtering
- Filtering policies according to Interface/VLAN
- Ability to create filtering exemptions

### INTEGRATIONS

- Reports streaming to external Elasticsearch Servers
- Reports streaming to external Syslog Servers
- Central Elasticsearch Reporting for all firewalls
- RESTful API access for configuration and management

### L4 FEATURES

Routing	OSPF, BGP, Static, PBR, PPPOE
VPN	Site-to-Site, L2TP, GRE, DMVPN, Remote VPN
QOS	Shaping Policy, Rate Limiter, Traffic Policies IPv4, IPv6, Traffic Shaper, DSCP Tagging
NAT	Source NAT, Destination NAT, NATv6, NAT Traversal, Static NAT, PAT
High Availability	VRRP, Clustering
Policies	ACL, Time-Based ACLs



## HARDWARE SPECIFICATION

Appliance Model	iEdge-50
Deployment Mode	Branch
Core/s	2
Chipset	Intel-N2840
CPU Architecture	x86
Memory(GB)	2-8
Storage	32 - 128 GB SSD
Network Interfaces	Universal 2 X 1G
USB(Supports 3G/4G Dongle for WAN)	1 x 2.0 , 1 X 3.0
V.35 Serial Port	Supported Through External Converter
SIM Slot(3G/4G/LTE)	1 (Optional)
Console	HDMI
WiFi	Optional (Dual Band, 802.3 b,g,n,ac Wave 1, 1X1 MIMO)
Power Supply	5V/2.5A External DC Adapter
Power Input(AC)	230 V
Power Rating(W)	12.5
Operating Temperature	-10°C to 60°C
Humidity	'5%-95% Relative Humidity, Non-Condensing
Physical Dimensions(LxWxH)mm	135 x 135 x 35
Weight(kg)	0.6
Form Factor	Deskmount

## AGGREGATED PERFORMANCE

Aggregated Application Visibility Throughput(Gbps)	1.5
Aggregated IPSEC VPN Throughput(Gbps)	0.7
Aggregated L4 firewall Throughput(Gbps)	0.7
Aggregated NGFW L7 Throughput(Gbps)	0.2
Packets Per Second(Mpps)	2.1

## SESSIONS

New Connections Per Second	Up to 3K
Max Sessions(IPv4 or IPv6)	Up to 15K

## POLICIES

NAT Rules	50
-----------	----

## ROUTING

IPv4 Forwarding Table Size	Up to 6000
IPv6 Forwarding Table Size	Up to 6000

QoS	
Number of QoS Policies	500
DSCP Marking by Policy	Yes
IPSEC VPN	
Site-to-Site	250
INFINXT REMOTE ACCESS VPN	
Max Tunnels(Client based IPsec)	125
HIGH AVAILABILITY	
Device Count	2



Registered Office :  
 Teerth-Technospace, C-609,  
 Bangalore-Mumbai Highway, Baner,Pune, IN – 411045  
 Website : [www.infinitylabs.in](http://www.infinitylabs.in)Email: [sales@infinitylabs.in](mailto:sales@infinitylabs.in)

- Founded in 2014, Infinity Labs is one of the fastest growing Technology Consulting & Software Solutions.
- Serving customers across the Globe ( India, US, UK & Middle East)
- Solutions customised for Telecom, Banking, Media, Retail, Education & Government verticals